ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 605 (2000) 249

Journal of Organometallic Chemistry

Author Index of Volume 605

Abras, A., 82
Alcock, N.W., 45
Angleitner, H., 174
Aresta, M., 143

Balzano, F., 68
Bastl, Z., 202
Beletskaya, I.P., 96
Benetollo, F., 28
Bernardini, R., 68
Bertani, R., 28
Bitterwolf, T.E., 7, 168
Bombieri, G., 28
Braun, M., 109
Buchmeiser, M.R., 174
Butcher, R.J., 39

Campo, J.A., 117
Cano, M., 117
Cesar, A., 82
Cifuentes, M.P., 184, 193
Claramunt, R.M., 117
Clase, H.J., 45
Criado, R., 117
Crociani, B., 28

Dakternieks, D., 209
Díaz, L., 202
de Sousa, A.P.G., 82
Dibenedetto, A., 143
Dong, G., 234
Duncalf, D.J., 45
Dunn, K., 209

Englich, U., 22
Esquius, G., 226

Favero, G., 127
Font-Bardía, M., 226
Fornasier, R., 127
Fujita, T., 134

Gallagher, S., 168
Garcia, M.M., 89
Gu, H., 234
Guzei, I.A., 168

Hart, S.L., 45
Hengge, E., 22
Heras, J.V., 117
Herber, R.H., 174
Hermann, U., 22
Hitchcock, P.B., 221
Holle, S., 157
Houbrechts, S., 184, 193
Huang, X.-Y., 234
Huffman, J.C., 82
Hu, H., 234
Humphrey, M.G., 184, 193
Hyun Kim, J., 239

Jin, X.-P., 234
Jolly, P.W., 157

Kadarkaraisamy, M., 39
Klimova, E.I., 89
Klimova, T., 89
Kobiro, K., 134
Kumar Rai, S., 102

Lappert, M.F., 221
Lazzaroni, R., 68
Lee, H.-J., 239
Lee, K.-B., 239
Le Gendre, P., 151
Lehmann, C.W., 109
Liable-Sands, L., 168
Lucas, N.T., 184, 193
Lukmanova, D., 168

Maciejewski, H., 221
Mak, T.C.W., 15
Marcuzzi, F., 127
Marschner, C., 22
Marton, D., 127
McCamley, A., 45
McCormack, P.J., 45
McDonagh, A.M., 184, 193
Meneghetti, F., 28
Moïse, C., 151
Murthy, G.S., 39

Nam Jung, I., 239
Nawar, N., 1

Okuda, J., 55
Ovejero, P., 117

Pandey, D.S., 74
Pan, Y., 234
Pascale, M., 143
Peregudov, A.S., 96
Persoons, A., 184, 193
Petrovskii, P.V., 96
Pinilla, E., 117
Pola, J., 202
Pons, J., 226
Puerta, M.C., 74

Quaranta, E., 143

Ramirez, L.R., 89
Rheingold, A.L., 168
Richard, P., 151
Ros, J., 226
Ruhlandt-Senge, K., 22
Russo, U., 127
Rust, J., 109

Sahay, A.N., 74
Salvadori, P., 68
Santa María, M.D., 117
Santos, M., 202
Scallorn, W.B., 7
Schiesser, C.H., 209
Schottenberger, H., 174
Schwarz, I., 109
Shen, Y.-Z., 234
Shi, M., 134
Sigeev, A.S., 96
Silva, R.M., 82
Singh, A., 74
Singh, A.K., 39
Singh, N., 102
Solans, X., 226
Song, H.-B., 15
Spaniol, T.P., 55
Srinivas, J., 39
Stürmer, R., 55
Šubrt, J., 202

Taylor, P.C., 45
Tiekink, E.R.T., 209
Toledano, C.A., 89
Tommasi, I., 143
Torres, M.R., 117
Toscano, R.A., 89

Uccello-Barretta, G., 68
Uhlig, F., 22
Urbanová, M., 202

Valerga, P., 74
Varghese, B., 39
Verch, S., 55

Wang, Q.-M., 15
Wardell, J.L., 82
Weiss, C.A., 7
Wurst, K., 174
Wu, T., 234

Yáñez, R., 226
Yoo, B.R., 239

Zanotto, L., 28
Zhang, Z.-Z., 15

PII: S0022-328X(00)00414-9

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 605 (2000) 251–255

Journal of Organometallic Chemistry

Subject Index of Volume 605

Acetylene
Photochemical studies of $Co_2(CO)_6$(acetylene) complexes and their phosphine derivatives in frozen Nujol matrices, 7
Alkylation
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239
Alkylation to benzene
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239
Alkynyl
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-$HC{\equiv}CC_6H_4N{=}NC_6H_4$-$NO_2$, 193
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, 184
Allyl
Amino-substituted cyclopentadienyl cobalt complexes, 157
Allyl complexes
Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η^3-propenyl- and η^3-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, 28
Allyl rotation
Synthesis, crystal structure, and NMR investigation of methyl α,α-dimethyl acetate-substituted π-allylpalladium complexes, 109
Allyltin
On the behaviour of organotin compounds with cyclodextrins: Part 1. The complex between allyl-di-*n*-butyltin chloride and β-cyclodextrin, 127
Aluminum chloride
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239
Aminoalkylation of pyrazoles
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226
Aryldiazonium salts
New approaches to the synthesis of unsymmetrical diaryl selenides, 96
Aryl iodide
New approaches to the synthesis of unsymmetrical diaryl selenides, 96
Aryl triflate
New approaches to the synthesis of unsymmetrical diaryl selenides, 96

Bidentate chiral ligand
Synthesis of a novel chiral ruthenium complex and its crystal structure, 134
Bidentate phosphines
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of $[(C_5H_5)Ru(\mu\text{-}CO)_2\{\mu\text{-}Ph_2PN(H)PPh_2\}IrCl_2]$, 1
Butadiene
Amino-substituted cyclopentadienyl cobalt complexes, 157

Carbon dioxide
New η^5- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^5-complexes towards carbon dioxide, 143
Carboxylation
New η^5- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^5-complexes towards carbon dioxide, 143
C–H bond activation
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, 117
Chemical vapour deposition
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, 202
Chiral
Chiral organotin hydrides containing intramolecular coordinating substituents, 209
Chiral complexes
Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, 55
Chiral derivatizing agent
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68
Chiral ruthenium complex
Synthesis of a novel chiral ruthenium complex and its crystal structure, 134
(ω-Chloroalkyl)silanes
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239
Cobalt
Amino-substituted cyclopentadienyl cobalt complexes, 157
Complex
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (L^1): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of L^1, its oxidized product and of $[RuCl_2(p\text{-cymene})\cdot L^1]$, 39
Crystal structure
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (L^1): synthesis, oxidation by ruthenium(III) chloride and ligation with

PII: S0022-328X(00)00415-0

ruthenium(II). Crystal structures of L^1, its oxidized product and of $[RuCl_2(p\text{-cymene})\text{-}L^1]$, 39
Synthesis of a novel chiral ruthenium complex and its crystal structure, 134
Crystal structure analysis
Synthesis, crystal structure, and NMR investigation of methyl α,α-dimethyl acetate-substituted π-allylpalladium complexes, 109
Crystal structures
Rearrangements and dimerizations of congested ferrocenyl allyl alcohols, 174
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, 117
4-Cyanopyridine
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$. (P = PPh_3, PEt_3, $MePPr^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), 74
Cyclic voltammetry
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-HC≡CC_6H_4N=NC_6H_4-NO_2, 193
Cyclobutene
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89
β-Cyclodextrin
On the behaviour of organotin compounds with cyclodextrins: Part 1. The complex between allyl-di-*n*-butyltin chloride and β-cyclodextrin, 127
Cyclopentadienyl
Amino-substituted cyclopentadienyl cobalt complexes, 157
Cyclopropene
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

Diaryl selenide
New approaches to the synthesis of unsymmetrical diaryl selenides, 96
1,4-Dicyanobenzene
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$. (P = PPh_3, PEt_3, $MePPr^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), 74
Diene
Amino-substituted cyclopentadienyl cobalt complexes, 157
Dithiocomplexes
Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, 102
Dithiolates
Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, 82

Electrochemistry
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, 184
Electroluminescence
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, 234
Enantiomeric purity
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68
Ethylene
Amino-substituted cyclopentadienyl cobalt complexes, 157

Ferrocene
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89
Rearrangements and dimerizations of congested ferrocenyl allyl alcohols, 174
Friedel–Crafts alkylation
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239

Gold
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-HC≡CC_6H_4N=NC_6H_4-NO_2, 193

Hafnocene
Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, 45
Heterobimetallic complexes
Synthesis and structural studies of Ti–Ru polymetallic systems, 151
Hetero-binuclear complex
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P*,*N*-phosphine ligand, 15
Heterometallic complexes
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of $[(C_5H_5)Ru(\mu\text{-}CO)_2\{\mu\text{-}Ph_2PN(H)PPh_2\}IrCl_2]$, 1
^{1}H-, ^{29}Si-NMR
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22
Hydride
Chiral organotin hydrides containing intramolecular coordinating substituents, 209

Imine hydrogenation catalyst
Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, 55
Iridium
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of $[(C_5H_5)Ru(\mu\text{-}CO)_2\{\mu\text{-}Ph_2PN(H)PPh_2\}IrCl_2]$, 1
Iron(0)
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P*,*N*-phosphine ligand, 15

Kinetics
Kinetics and mechanisms of the ligand substitution of $(\eta^5\text{-}C_9H_7)M(CO)_4$, where M = Nb or Ta, and a reinvestigation of the kinetics of $(\eta^5\text{-}C_5H_5)M(CO)_4$. Molecular structure of $(\eta^5\text{-}C_5H_5)Nb(Co)_3[P(C_6H_5)_3]$, 168

Laser-induced thermolysis
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, 202
Lewis acid
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239
Linked amido-cyclopentadienyl ligand
Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, 55

Mass spectroscopy
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22
Metallo-ligands
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$. (P = PPh_3, PEt_3, $MePPr^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), 74
Metal–metal bond
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P,N*-phosphine ligand, 15
Molecular structure
Kinetics and mechanisms of the ligand substitution of $(\eta^5\text{-}C_9H_7)M(CO)_4$, where M = Nb or Ta, and a reinvestigation of the kinetics of $(\eta^5\text{-}C_5H_5)M(CO)_4$. Molecular structure of $(\eta^5\text{-}C_5H_5)Nb(Co)_3[P(C_6H_5)_3]$, 168

Nickel
A convenient route to vinylsiloxane-tertiary phosphine-nickel(0) complexes; the molecular structure of $[(Ni\{P(C_6H_4Me\text{-}4)_3\})_2\{\mu\text{-}(L''L'')_2\}]$ $\{(L''L'')_2 = [CH_2{=}CH(Me)Si(\mu\text{-}O)]_4\}$, 221
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (L^1): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of L^1, its oxidized product and of $[RuCl_2(p\text{-cymene})\text{-}L^1]$, 39
NMR
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68
NMR spectroscopy
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, 117
Synthesis, crystal structure, and NMR investigation of methyl α,α-dimethyl acetate-substituted π-allylpalladium complexes, 109
Nonlinear optics
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (E)-4,4′-$HC{\equiv}CC_6H_4N{=}NC_6H_4\text{-}NO_2$, 193
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, 184
N-Salicylidene 2-aminopyridine
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, 234
N-Salicylidene 2-methoxyaniline
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, 234

Organoheterobimetallic complexes
Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, 102
Organotin
Chiral organotin hydrides containing intramolecular coordinating substituents, 209
Organotin comlpexes
On the behaviour of organotin compounds with cyclodextrins: Part 1. The complex between allyl-di-*n*-butyltin chloride and β-cyclodextrin, 127
Organotin mercaptides
Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, 82

Palladium
Synthesis, crystal structure, and NMR investigation of methyl α,α-dimethyl acetate-substituted π-allylpalladium complexes, 109
Phenoxides
New η^5- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^5-complexes towards carbon dioxide, 143
Phenoxo-complexes
New η^5- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^5-complexes towards carbon dioxide, 143
Phosphine
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P,N*-phosphine ligand, 15
Phosphine derivatives
Photochemical studies of $Co_2(CO)_6$(acetylene) complexes and their phosphine derivatives in frozen Nujol matrices, 7
Photochemical studies
Photochemical studies of $Co_2(CO)_6$(acetylene) complexes and their phosphine derivatives in frozen Nujol matrices, 7
Photochemistry
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, 117
Photolysis
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89
Platinum
Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η^3-propenyl- and η^3-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, 28
Polydentate ligand
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P,N*-phosphine ligand, 15
Pyrazolate complexes
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

Pyrazoles
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

Quadratic hyperpolarizabilities
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-HC≡CC$_6$H$_4$N=NC$_6$H$_4$-NO$_2$, 193

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, 184

Radical
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

Rhodium complexes
New η^5- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^5-complexes towards carbon dioxide, 143
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, 117
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

Rhodium-pyrazolate complexes
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

Ruthenium
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-HC≡CC$_6$H$_4$N=NC$_6$H$_4$-NO$_2$, 193
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, 184
Synthesis and structural studies of Ti–Ru polymetallic systems, 151
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of [(C$_5$H$_5$)Ru(μ-CO)$_2${μ-Ph$_2$PN(H)PPh$_2$}IrCl$_2$], 1

Ruthenium arene complexes
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes [Ru(η^6-arene)(P)Cl(L)]$^+$. (P = PPh$_3$, PEt$_3$, MePPr$^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), 74

Ruthenium(II)
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (**L^1**): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of **L^1**, its oxidized product and of [RuCl$_2$(*p*-cymene)·**L^1**], 39

Ruthenium(III)
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (**L^1**): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of **L^1**, its oxidized product and of [RuCl$_2$(*p*-cymene)·**L^1**], 39

Semiconducting properties
Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, 102

Semi-empirical calculations
Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, 82

Si/C/H polymers
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, 202

Silacyclopent-3-ene
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, 202

Silylene
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, 202

Spectroscopic studies
Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, 102

Stereochemistry
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68

Substitution reactions
Kinetics and mechanisms of the ligand substitution of (η^5-C$_9$H$_7$)M(CO)$_4$, where M = Nb or Ta, and a reinvestigation of the kinetics of (η^5-C$_5$H$_5$)M(CO)$_4$. Molecular structure of (η^5-C$_5$H$_5$)Nb(Co)$_3$[P(C$_6$H$_5$)$_3$], 168

Synthesis
Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η^3-propenyl- and η^3-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, 28

Synthon
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes [Ru(η^6-arene)(P)Cl(L)]$^+$. (P = PPh$_3$, PEt$_3$, MePPr$^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), 74

Te–chloro,*Te*–anisyl-1a-aza-4-oxa-3-tellura-1*H*,2*H*,4a*H*-9-fluorenone
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (**L^1**): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of **L^1**, its oxidized product and of [RuCl$_2$(*p*-cymene)·**L^1**], 39

Titanium complexes
Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, 55

Titanocene
Synthesis and structural studies of Ti–Ru polymetallic systems, 151
Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, 45

Trialkylgallium
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, 234

Trialkyltin arylselenide
New approaches to the synthesis of unsymmetrical diaryl selenides, 96
Tricyclohexanes
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89
Tridentate chiral ligand
Synthesis of a novel chiral ruthenium complex and its crystal structure, 134
Tridentate phosphine
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of $[(C_5H_5)Ru(\mu\text{-}CO)_2\{\mu\text{-}Ph_2PN(H)PPh_2\}IrCl_2]$, 1
Trimethylindium
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, 234
Trispyrazolylborates
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, 117

Undecamethylcyclohexasilanyl potassium
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22
Undecamethylcyclohexasilanylstannanes
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22
Unsaturated ethers
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68

Vinylcarbenes
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89
Vinylsiloxane complexes
A convenient route to vinylsiloxane-tertiary phosphine-nickel(0) complexes; the molecular structure of $[(Ni\{P(C_6H_4Me\text{-}4)_3\})_2\{\mu\text{-}(L''L'')_2\}]$ $\{(L''L'')_2 = [CH_2{=}CH(Me)Si(\mu\text{-}O)]_4\}$, 221

X-ray analysis
Synthesis of a novel chiral ruthenium complex and its crystal structure, 134
X-ray crystallography
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22
X-ray structural analysis
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89
X-ray structure
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (E)-4,4′-$HC{\equiv}CC_6H_4N{=}NC_6H_4$-$NO_2$, 193
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, 184
Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, 82
X-ray structures
Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η^3-propenyl- and η^3-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, 28

Zirconocene
Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, 45